G Legend Light



G Legend Light

Tel: 86 18058204444

Fax: 86 574 62367133

Email: binr.wong@yy-legendlighting.com

chestnut@yy-legendlighting.com

web: www.legendlighting.en.alibaba.com

www.yy-legendlighting.com

Address:

Hudong Industrial Park Lianglong

Yuyao Zhejiang 315400

China

CONTENTS



UP/DOWN	ECO Copper	Single Fixed	Single Adjustable	Double Adjustable
PAGES 5-6	PAGES 7	PAGES 8	PAGES 9	PAGES 10


Perspex Lens	Outdoor Bar	4 Heads Square	Wall Mounted	Wall Wedge
PAGES I I	PAGES 12-13	PAGES 14	PAGES 16-18	PAGES 19

Step Light	Wall Recessed	Decorative	Ceiling	Underwater
PAGES 20-23	PAGES 24	PAGES 25-28	PAGES 29	PAGES 3 I

Deck Light	Perspex Lens Spike	Spike Light	Bollard	Inground
PAGES 33-34	PAGES 35	PAGES 36-44	PAGES 45	PAGES 47-48



Surface Treatment:






Legend Light

Solid Copper 3 I 6 Stainless Steel

Up/Down Wall Spot Light






- Up/down wall pillar
- Solid copper/ 3 I 6 Stainless steel/ Rustic brass
- High output reflector to maximise light
- ■240v GUI0 2x35w max/I2v MRI6 2x20w max
- IP rating: IP65

Aluminium Up/Down Wall Spot Light




- Up/down wall pillar
- Aluminium powder coated black/white/grey;
 Titanium/silver coloured aluminium
- High output reflector to maximise light
- 240v GUI0 2x35w max/I2v MRI6 2x20w max
- IP rating: IP65
- Round/square base



ECO Copper Wall Spot Light





78mm - 78mm

LJ1119-Aged

- Fixed copper wall light
- Antiglare honeycomb louvre
- 240v GUI0 35w max/I2v MRI6 20w max
- IP rating: IP54
- Finishing: Mirror / Aged / Polishing


- Fixed copper up/down wall light
- Antiglare honeycomb louvre
- 240v GUI0 2x35w max/I2v MRI6 2x20w max
- IP rating: IP54


LJ1115

• Finishing: Mirror / Aged / Polishing

LJIIII-Aged

No man





- Adjustable copper spotlight
- Antiglare honeycomb louvre
- 240v GUI0 35w max/I2v MRI6 20w max
- IP rating: IP54
- Finishing: Mirror / Aged / Polishing

- Adjustable copper spotlight
- Brass holder
- Antiglare honeycomb louvre
- ●240v GUI0 35w max/I2v MRI6 20w max
- ●IP rating: IP54
- Finishing: Mirror / Aged / Polishing

Fixed Wall Spot Light

LJ1131 Stainless steel 316



LJI121-WH Aluminium powder coated



85mm 68mm 110mm 22_{mm} 60_{mm}

LJ1114 Solid copper



LJIII4-RB



Fixed wall pillar light



- High output reflector to maximise light
- 240v GUI0 35w max/I2v MRI6 20w max
- ■IP rating: IP65



Rustic brass



LJ1121-BK

Aluminium powder coated




Single Adjustable Spot Light

LJ1133 Stainless steel 316



LJ1112 Solid copper







LJ1123-WH Powder coated




LJ1112-AB Aged brass



LJ1123-T Titanium coloured





- Single adjustable wall pillar light
- Stainless steel 3 I 6/Solid copper/Antique brass;
 Aluminium powder coated black/white/grey;
 Titanium/silver coloured aluminium
- High output reflector to maximise light
- 240v GUI0 35w max/I2v MRI6 20w max
- IP rating: IP65

Double Adjustable Spot Light

LJ1118

LJ1134 Stainless steel 316



LJ1124-B Powder coated







LJ1124-W powder coated

LJ1118-RB Rustic brass

LJ1124-T
Titanium coloured aluminium







90° LI 20mm 20mm 90° 90°


90° Tilt / 270° Swivel

- Double adjustable wall pillar light
- Stainless steel 3 I 6/Solid copper/Antique brass;
 Aluminium powder coated black/white/grey;
 Titanium/silver coloured aluminium
- High output reflector to maximise light
- 240v GUI0 2x35w max/I2v MRI6 2x20w max
- IP rating: IP65

Perspex lens Range

LJ1140-B Powder coated





LJ1140-T Titanium coloured aluminium



- Up/down wall pillar light
- Aluminium powder coated black/white;

Titanium/silver coloured aluminium

- High grade Perspex reflector lens
- ■240v GUI0 2x35w max/I2v MRI6 2x20w max
- IP rating: IP65



- High light bollard
- Aluminium powder coated black/white;

Titanium/silver coloured aluminium

- High grade Perspex reflector lens
- IP rating: IP54


Outdoor Bar Spot Light


LJ1142-T Titanium coloured aluminium

LJ1143-B Black powder coated aluminium









- Aluminium 2/3/4 light bar outdoor spots
- Aluminium powder coated black/white;Titanium/silver coloured aluminium
- High output reflector to maximise light
- ■240v GUI0 35w max/I2v MRI6 20w max
- IP rating: IP44

Outdoor Bar Spot Light

LJ1144-W
White powder coated aluminium




LJ1144-T
Titanium coloured aluminium



- Aluminium 4 light bar outdoor spots
- Aluminium powder coated black/white;

Titanium/silver coloured aluminium

- High output reflector to maximise light
- 240v GUI0 4x35w max/I2v MRI6 4x20w max
- IP rating: IP44



4 Heads Square Ceiling Light


LJ1150-T Titanium coloured aluminium





LJ I I 50-B Black powder coated aluminium

- 4 light square
- Aluminium powder coated black/white;
 Titanium/silver coloured aluminium
- High output reflector to maximise light
- ■240v GUI0 4x35w max/I2v MRI6 4x20w max
- IP rating: IP54







Solid Copper 3 I 6 Stainless Steel

Wall Mounted Light




- Surface mounted eyelid
- Extra large eyelid design to maximise light output
- Solid copper/stainless steel 3 I 6 cover
- Stainless steel base
- Matt/mirror finish
- Frosted tempered glass
- 240v G9 25w max/12v G4 20w max
- IP rating: IP54






LED Wall Mounted Light



Solid Copper 3 I 6 Stainless Steel

Wall Mounted Light






- Surface mounted eyelid
- Solid copper/stainless steel 316
- Matt/mirror finish
- Frosted tempered glass
- 240v G9 25w max/12v G4 20w max
- IP rating: IP54

Solid Copper 316 Stainless Steel

Wall Mounted Wedge Light





- Wall wedge light
- Solid copper/stainless steel 3 I 6 body

Aluminium powder coated black/white

- Stainless steel base
- 12v MR16 20w max/240v GU10 2x35w max
- Frosted tempered glass
- IP rating: IP44

Bronze Brass


Step Light

LJ1342 Solid Brass Nickel Plated




LJ1341 Solid Bronze





- Wall light/Step light
- Solid Bronze/Solid Brass Nickel Plated
- 12v 3w Warm white LED
- Requires constant voltage 12V DC driver
- IP rating: IP65

Bronze Step Light








G Legend Light

Bronze Stainless Steel 316

Step Light




Copper&Brass Stainless Steel 316

Recessed

Wall Light







- Recessed wall light
- Solid copper&brass/3 I 6 stainless steel
- 12v MR16 20w max
- Anti-glare honeycomb louvre
- Hood also available
- IP rating: IP54

Antique Brass


Decorative Wall Light

LJ7970




LJ7969





- Decorative wall light
- Antique brass finishing
- Glass diffuser
- 240v E27 60w max
- IP rating: IP65




Copper Decorative Wall Light

LJ1414



LJ1415





320

- Decorative wall light
- Solid copper(LJ | 4 | 4 with brass bracket&base)
- ●LJ1415 with clear glass lens
- 240v E27 60w max
- IP rating: LJ1414 IP23
 - LJ1415 IP54

Antique Brass Aluminium

Decorative Wall Light

LJ7962



LJ7962-BK



- 135
 - 88

- Decorative wall light
- Antique brass finishing;

Black/White powder coated


- ●240v GUI0 35w max
- IP rating: IP65



Copper Decorative

Pendant

LJ812




- Decorative pendant
- Solid copper body
- Brass chain and ceiling canopy
- LJ8 | 2: | 2v MR | | 20w max

LJ811:240v E27 60w max

● IP rating: IP23

LJ811








Copper Stainless Steel 3 I 6

Ceiling

Down Light














LJ612





- Recessed/Surface mounted adjustable downlight
- Solid copper/Stainless Steel 3 I 6 body

LJ611&LJ621 with aluminium heat shield canister

• Lampholder: LJ611&LJ621 12v G5.3

LJ613&LJ622 240v GU10


● IP rating: IP20




Stainless Steel 316

Underwater Light









- Marine grade Stainless steel 3 I 6 underwater light
- Adjustable bracket
- •5mm tempered glass
- Silicone sealed gasket
- 12v MR16 50w max
- IP rating: IP68





Copper Stainless Steel 3 I 6

Deck Light





- 49mm +44mm +13mm
- LED Deck Light
- Solid Copper/Stainless Steel 3 I 6 Cover/body
- ●Warm white LED 12v IW
- IP rating: IP67

Copper Stainless Steel 3 I 6

Deck Light



Color Temp

Dimension IP Rate Cool White, 6000K

Warm White,3000K

64*64*93mm

IP65

Perspex Iens Spike Light



Copper Aluminium

Spike Light

Stainless Steel 316


LJ2222 Solid copper LJ2311 Stainless steel 316 LJ2121T AL anodized LJ2121B AL Powder coated











- Single adjustable spike spotlight
- Solid Copper/Stainless Steel 3 I 6/Aluminium
- ●MR16 12v 20W max/GU10 240v 35w max
- IP rating: IP65
- One meter reinforced cable
- ●245mm extension rod (Optional)

Aluminium Stainless Steel 316


Spike Light

LJ2121- φ 63 Powder coated LJ2311- Φ63 Stainless steel 316





- Single adjustable spike spotlight
- Stainless Steel 3 I 6/Aluminium powder coated
- •MR16 12v 20W max
- ●IP rating: IP65
- One meter reinforced cable
- Spike length: 2*238mm






Brass Spike part

Spike Light





- Single adjustable spike spotlight
- Brass die casting spike
- Solid Copper/Stainless Steel 3 I 6/Aluminium body
- •Aluminium powder coated black/white;

Titanium/silver coloured aluminium

- ●MR16 12v 20W max/GU10 240v 35w max
- IP rating: IP65


Copper

Aluminium

Stainless Steel 316

Spike Light

LJ2312L LJ2223



- Single adjustable spike spotlight
- Solid Copper/Stainless Steel 3 I 6/Aluminium body
- •Aluminium powder coated black/white;

Titanium/silver coloured aluminium

- ●MR16 12v 20W max/GU10 240v 35w max
- IP rating: IP65
- Brass die casting spike(Optional)

Copper Aluminium

Spike Light

Stainless Steel 316

LJ2313 LJ2224 LJ2132 Double adjustable spike spotlight 90° Tilt / 270° Swivel 600 Solid Copper/Stainless Steel 3 I 6/Aluminium body • Aluminium powder coated black/white; 1000 Titanium/silver coloured aluminium ●MR16 12v 2*20W max/GU10 240v 2*35w max 400 ● IP rating: IP65 Brass die casting spike(Optional)


Copper Stainless Steel 316

LJ2225


LJ2326







- Bollard area light with spike
- Solid Copper/Stainless Steel 3 I 6 body
- Anti glare design
- ●Warm white LED 12v 6w
- Brass die casting spike
- IP rating: IP67







Rustic Brass

Spike Light



Copper Stainless Steel 316


Bollard Light

LJ521S



LJ521C






+76+

- Bollard area light
- Solid Copper/Stainless Steel 3 I 6 body
- Anti glare design
- •Warm white LED 12v 6w
- IP rating: IP67





Stainless Steel 316 In-Ground Light



Brass In-Ground Light







- In-ground step or driveway light
- Brass/Stainless Steel 3 | 6 surface(100mm/120mm)
- Aluminium body&plastic canister
- ●MR16 12v 20W max/GU10 240v 35w max
- ■IP rating: IP67

Notes& Updates

Lighting by
Legend

legendlighting.en.alibaba.com